

# Shipping & Transport – Fishing Vessel Density Summer 2007

## description

This atlas page illustrates the relative density of fishing vessels in transit in the summer months (May to September) of 2007. It is based on ship monitoring data from the Canadian Coast Guard's Marine Communications and Traffic Services (MCTS). Fishing vessels include those catching, processing or transporting fish. These vessels are estimated to account for 3% of the annual vessel movements in Canada's Pacific waters (BC Ministry of Environment et al. 2006), although that is likely to be below the actual percent of annual vessel movements since vessels less than 24 metres and 150 tons gross are not required to report their position to the VTS.

All ships operating in Canadian waters must obtain Vessel Traffic Services (VTS) clearance before beginning a voyage from a Canadian location or before entering Canadian waters. The Coast Guard monitors ship traffic using radio communication, radar detection and an Automatic Identification System. The Coast Guard documents ship position, direction and speed approximately every 4 minutes with ship-identification (Lloyd's Register name and number), flag-state (country of registry), type of ship and size. All ships over 20 metres in length, and ships engaged in towing or pushing any vessel or object more than 20 metres in length (other than fishing gear) that had a combined length of more than 45 metres are required to report their position to the VTS. Vessels towing or pushing inside a log booming ground, pleasure yachts less than 30 metres, or fishing vessels less than 24 metres and 150 tons gross are not required to report their position to the VTS.

Vessel observations were reduced to one uniquely identifiable vessel observation per hour per 5 kilometre by 5 kilometre grid cell. For each grid cell, data were summarised by calculating total number of uniquely identifiable ship observations per hour that either moved into or out of the focal cell (i.e., ensuring ships were moving).

The data is displayed on the main map using equal interval categories, meaning that the data is divided into nine equally spaced classes where each class may contain a different number of grid cells. The inset map shows the same information as nine quantiles, meaning each classification contains the same number of grid cells.





## data sources

- Canadian Coast Guard Marine Communications and Traffic Services vessel tracking database.
- Analysis of Canadian Coast Guard data by Patrick O'Hara (Canadian Wildlife Service).

# data resolution

• 5 kilometre by 5 kilometre grid cells

# date collected

• Summer 2007

## reviewers

- Brian Simms and Captain Phillip Nelson, Council of Marine Carriers
- Kevin Obermeyer, Pacific Pilotage Authority Canada

## reviewer comments

• None provided.

# caveats of use

- range in number of vessel movements will vary from season to season and vessel type to vessel type.
- There is radar coverage of most of Georgia Strait and a radar station with 90 nautical mile range in the vicinity of Tofino. The radar coverage extends from Juan de Fuca in the south to an area just north of Kyuquot Sound on the west coast of Vancouver
- The information used to create this map does not include vessels transiting the portion of the Juan de Fuca Strait, which is the responsibility of the US Coast Guard.
- The map provides minimum estimates of vessel traffic densities for the various traffic types included here and likely underestimates vessel traffic, particularly west of Haida Gwaii. Reasons for this include: 1) limited extents of Coast Guard radar coverage; 2) report to the Coast Guard; and 3) the Automatic Identification System is still in process of being brought in by VTS.
- Recommended date of expiry for use of these data in a marine planning context: Data should be refreshed every 4 to 5 years.

# map, feature data and metadata access

• Visit *www.bcmca.ca/data* for more information.


## references

• BC Ministry of Environment, Fisheries and Oceans Canada, University of Victoria, University of British Columbia, and Environment Canada, Alive and Inseparable: British Columbia's Coastal Environment, 2006. www.env.gov.bc.ca/soe/bcce/

• This map shows only the relative density of fishing vessel movements for the summer of 2007. Other maps from the vessel density series showing the same vessel type in a different season or different vessel types cannot be compared directly to this map since the

Island. All the other areas are tracked by vessels using the established call-in points indicated on the charts. This means that all of the northern area off Vancouver Island, both coasts of Haida Gwaii and the North Coast mainland are without radar coverage.

many of the vessels transiting the area west of Haida Gwaii are not bound for Canadian destinations and therefore not required to



# **BCMCA** Atlas Shipping & Transport Fishing Vessel Density **Summer 2007** Legend

Fishing Vessel Density (# of vessel movements)

zero density



# high

#### Notes:

- The number of vessel movements in a 5 km x 5 km grid cell ranges from 0 to 639.

- The main map shows the data classified in 9 equal intervals.

- The inset map shows the same data classified in 9 quantiles.

#### Data Sources: Canadian Coast Guard

#### Base Data:

ESRI Base Data, GeoBase, GeoBC, NOAA, Natural Resources Canada, USGS, Washington State Government

#### Thematic Data:

For more information on data sources and methods please refer to the facing page to this map

#### Projection: BC Albers NAD83

0	25	50	75	100	125	150
Kilometres						
0		25		50		75
Nautical Miles						

1:4,250,000 \* \* Written scales are approximate and are based on a 11 x 17 inch paper size.

Prepared for:



Map template by Caslys Consulting Ltd. January 27, 2011